

MAXUS eTerron 9

Shaping the Future of Electric Pickups




THE ULTIMATE ELECTRIC 4X4 PICKUP

The eTerron 9 is a cutting-edge electric 4x4 pickup, designed to deliver unmatched performance and versatility. Its advanced body structure ensures durability and safety, while the innovative battery system enhances efficiency and reliability in all conditions.

Built for work and play, the eTerron 9 offers flexible cargo space with an electric opening rear tailgate, a weatherproof "frunk," and luxurious interior features for maximum comfort. Its All-Terrain System and multiple driving modes make it a perfect fit for any adventure.

Safety is at the forefront, with highstrength steel construction and top-tier crash protection, ensuring peace of mind on every journey.

ENGINEERED FOR ALL-TERRAIN PERFORMANCE







3500kg **TOWING** CAPACITY (BRAKED TRAILER)







ELECTRIFYING PERFORMANCE



Motor Specs



Battery Specs

Rated/Peak Power

125/200kW

5 (sec)

Battery Capacity

Rated/Peak Torque 250/450 N.m

Energy

0-50km/h 3.0 (sec) Consumption

26.7kWh

102.2kWh

0-100km/h

Charge Time

20% - 80% DC 0.7h/115kw

5% - 100% AC 12h/11kw

STANDARD EQUIPMENT



Comfort and Convenience:

- Dual Screen (12.3" cluster + 12.3" central touch screen)
- Vehicle Remote Control
- Voice control
- Navigation system
- CarPlay & Android Auto
- Mobile Phone Wireless Charging
- Air conditioning Auto
- Heated Microfiber Leather Multifunctional Steering Wheel
- Front electric heated seats
- Panoramic Sunroof
- Automatic Headlights
- · Rear trailer tow interface with controller



Safety:

- Adaptive Cruise Control (ACC)
- Forward Collision Warning (FCW)
- Automatic Emergency Braking (AEB)
- Lane Keep Assist (LKA)
- Blind Spot Assist
- Rear Cross Traffic Alert (RCTA)
- Lane Change Assist (LCA)
- Intelligent Speed Limit Assistance (ISA)
- 360-Degree Camera





STANDARD EQUIPMENT

continued



- LED Daytime Running Light
- LED through type rear Light
- · High-mounted Stop Light



Additional Features:

- Fatigue Driving Early Warning System
- Electric Heating Outside Rearview Mirror with folding
- Cargo Slide Rail

*Standard specifications may vary from the list above, depending on the vehicle model.



Images shown in this brochure are for illustration purposes only. Actual vehicles may differ and are subject to change. Specifications, standard equipment, options, fabrics and colours are subject to change without notice. Some features may be unavailable when your vehicle is built. Some vehicles are pictured with options that may be available at extra cost or may not be available on certain models. Ask about availability of options and verify that the vehicle you ordered includes the equipment you ordered.





	MAXUS eTerron 9	
WEIGHTS & PAYLOAD	GTM (kg)	6500
	GVW (kg)	3500
	CVW (kg)	2880
	Payload (kg)	620
	Towing capacity (Braked/Unbraked)(kg)	3500/750
	Cargo Box (mm)	1561x1500x535
POWER, DRIVING & STEERING	Driving wheel	4WD
	Max speed (km/h)	190
	Min turning diameter (m)	13.3
	Approach angle/departure angle (CVW)(°)	29/25
	Ramp Angle (deg)	20
	Tyre	275/55R20
DIMENSIONS & CAPACITIES	Max Power: front/rear (kW)	125/200
	Max torque: front/rear (N.m)	250/450
	Max.speed (km/h)	190
	Acceleration 0-50km/h (sec)	3
	Acceleration 0-100km/h (sec)	5







	Battery Capacity (kwh)	102.2
BATTERY &	Energy consumption WLTC combined (kWh/100km)*	26.7
CHARGING	AC Charging time (5%~100%) (h)/ Charging power (kW), Three-Phase,25°C	12h/11kw
	DC Charging time (20%~80%) (h)/ Charging power (kW),25°C	0.7h/115kw
RANGE	Range WLTC combined (km)*	430



